

APPLICANT : KOSTIC KOREA LTD. ADDRESS : 120, LG-ro 360beon-gil, Wollong-myeon, Paju-si, Gyeonggi-do, Korea

PAGE: 1 of 8 REPORT NO. RT22R-S0173-015-E DATE: Jan. 18, 2022

| SAMPLE DESCRIPTION | : The following submitted sample(s) said to be:- |
|---|--|
| NAME/TYPE OF PRODUCT NAME OF MATERIAL SAMPLE ID NO. ITEM NO. | : KPP-S-COMPONENT : PET, PSA : RT22R-S0173-015 : KPP-S PSA Film, KSP-PSA Film |
| MANUFACTURER/VENDOR NAME OF BUYER | : KGSTIC KOREA LTD. : LG, SAMSUNG |
| SAMPLE RECEIVED TESTING DATE | : Jan. 10, 2022 : Jan. 10, 2022 ~ Jan. 18, 2022 |
| TEST METHOD(S) TEST RESULT(S) | : Please see the following page(s). : Please see the following page(s). |

* Note 1 : The test results presented in this report refer only to the object tested.

* Note 2 : This report shall not be reproduced except in full without the written approval of the testing laboratory.

* Note 3 : The item no. is assigned by client and indicated according to their requirement and guarantee letter.

Approved by,

켓

2628

Jade Jang / Lab. Technical Manager

Authorized by,

ne



Bo Park / Lab. General Manager

켓

Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea

켓





REPORT NO. RT22R-S0173-015-E

PAGE: 2 of 8 DATE: Jan. 18, 2022

SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT

| TEST ITEM | UNIT | TEST METHOD | MDL | RESULT |
|---|-------|---|-----|--------|
| Cadmium (Cd) | mg/kg | With reference to IEC 62321-5 Edition 1.0 : 2013, | 0.5 | N.D. |
| Lead (Pb) | mg/kg | by acid digestion and determined by ICP-OES | 5 | N.D. |
| Mercury (Hg) | mg/kg | With reference to IEC 62321-4 : 2013/AMD1 : 2017, by acid digestion and determined by ICP-OES | 2 | N.D. |
| Hexavalent Chromium (Cr ⁶⁺) | mg/kg | With reference to IEC 62321-7-2 Edition 1.0 : 2017, by alkaline/toluene digestion and determined by UV-VIS Spectrophotometer | 8 | N.D. |
| Polybrominated Biphenyl (PBBs) | 1 | | | |
| Monobromobiphenyl | mg/kg | | 5 | N.D. |
| Dibromobiphenyl | mg/kg | | 5 | N.D. |
| Tribromobiphenyl | mg/kg | | 5 | N.D. |
| Tetrabromobiphenyl | mg/kg | With reference to | 5 | N.D. |
| Pentabromobiphenyl Hexabromobiphenyl | mg/kg | IEC 62321-6 Edition 1.0 : 2015, | 5 | N.D. |
| | mg/kg | by solvent extraction and | 5 | N.D. |
| Heptabromobiphenyl | mg/kg | determined by GC/MS | 5 | N.D. |
| Octabromobiphenyl | mg/kg | | 5 | N.D. |
| Nonabromobiphenyl | mg/kg | | 5 | N.D. |
| Decabromobiphenyl | mg/kg | | 5 | N.D. |
| Polybrominated Diphenyl Ether (PBDEs) | | | | |
| Monobromodiphenyl ether | mg/kg | | 5 | N.D. |
| Dibromodiphenyl ether | mg/kg | | 5 | N.D. |
| Tribromodiphenyl ether | mg/kg | | 5 | N.D. |
| Tetrabromodiphenyl ether | mg/kg | With reference to | 5 | N.D. |
| Pentabromodiphenyl ether | mg/kg | IEC 62321-6 Edition 1.0 : 2015, | 5 | N.D. |
| Hexabromodiphenyl ether Heptabromodiphenyl ether | mg/kg | by solvent extraction and | 5 | N.D. |
| | mg/kg | determined by GC/MS | 5 | N.D. |
| Octabromodiphenyl ether | mg/kg |] | 5 | N.D. |
| Nonabromodiphenyl ether | mg/kg |] | 5 | N.D. |
| Decabromodiphenyl ether | mg/kg | | 5 | N.D. |

Tested by : Jooyeon Lee, Chano Kim, Hayan Park

Notes : mg/kg = ppm = parts per million < = Less than

剹

N.D. = Not detected (<MDL) MDL = Method detection limit

Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea

劉



劉



REPORT NO. RT22R-S0173-015-E

PAGE: 3 of 8 DATE: Jan. 18, 2022

SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT

| TEST ITEM | UNIT | TEST METHOD | MDL | RESULT |
|----------------|---|---|-----|--------|
| Bromine (Br) | mg/kg | With reference to EN 14582, by oxygen combustion with bomb and determined by IC | 30 | N.D. |
| Chlorine (Cl) | mg/kg With reference to EN 14582, by oxygen combustion with bomb and determined by IC | | 30 | N.D. |
| Fluorine (F) | mg/kg | With reference to EN 14582, by oxygen combustion with bomb and determined by IC | 30 | N.D. |
| Beryllium (Be) | mg/kg | With reference to US EPA 3052, by acid digestion and determined by ICP-OES | 2 | N.D. |
| Antimony (Sb) | mg/kg | With reference to US EPA 3052, by acid digestion and determined by ICP-OES | 2 | 138 |

Tested by : Chano Kim, Jooyeon Lee

Notes : mg/kg = ppm = parts per million < = Less than N.D. = Not detected (<MDL) MDL = Method detection limit

Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea

ッ

켓



剹



REPORT NO. RT22R-S0173-015-E

PAGE: 4 of 8 DATE: Jan. 18, 2022


SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT

| TEST ITEM | CAS NO. | UNIT | TEST METHOD | MDL | RESULT |
|--------------------------------------|----------|-------|--|-----|--------|
| Dibutyl phthalate (DBP) | 84-74-2 | mg/kg | With reference to IEC 62321-8 Edition 1.0 : 2017, by solvent extraction and determined by GC/MS | 50 | N.D. |
| Di(2-ethylhexyl) phthalate (DEHP) | 117-81-7 | mg/kg | | 50 | N.D. |
| Benzyl butyl phthalate (BBP) | 85-68-7 | mg/kg | | 50 | N.D. |
| Diisobutyl phthalate (DIBP) | 84-69-5 | mg/kg | | 50 | N.D. |

Tested by : Hayan Park

Notes : mg/kg = ppm = parts per million < = Less than N.D. = Not detected (<MDL) MDL = Method detection limit

* View of sample as received;-



Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea








Total Quality. Assured.

TEST REPORT

REPORT NO. RT22R-S0173-015-E

PAGE: 5 of 8 DATE: Jan. 18, 2022

SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT



Remarks : *1 : List of appropriate acid :

켓

| - - | | | | |
|------------|-------------|--|--|--|
| | Material | Acid added for digestion | | |
| | Polymers | HNO₃, HCl, HF, H₂O₂, H3BO₃ | | |
| | Metals | HNO ₃ , HCl, HF | | |
| | Electronics | HNO ₃ , HCl, H ₂ O ₂ , HBF ₄ | | |
| | | | | |

*2 : The samples were dissolved totally by pre-conditioning method according to above flow chart.

Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea

劉




켓



REPORT NO. RT22R-S0173-015-E

PAGE: 6 of 8 DATE: Jan. 18, 2022

SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT



Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea

ッ

シル




刎




REPORT NO. RT22R-S0173-015-E

PAGE: 7 of 8 DATE: Jan. 18, 2022

SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT



** Remarks : The samples were dissolved totally by pre-conditioning method according to above flow chart.



ッ

シ




剹



REPORT NO. RT22R-S0173-015-E

PAGE: 8 of 8 DATE: Jan. 18, 2022

SAMPLE ID NO. : RT22R-S0173-015 SAMPLE DESCRIPTION : KPP-S-COMPONENT



***** End of Report *****

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full. This report is not related to the scope of Korea Laboratory Accreditation Scheme.

Intertek Testing Services Korea Ltd. Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : intertek.co.kr Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea

